About Brey-Krause Manufacturing Co.



Located in Bethlehem, PA

Brey-Krause manufactures a comprehensive line of commercial washroom accessories that are 100% made in the USA. Since 1909, Brey-Krause has maintained a reputation for producing quality products at competitive prices in a timely manner. With over 100 years of experience, Brey-Krause continues its tradition of manufacturing excellence.

Innovative engineering is a hallmark of Brey-Krause products, from cost-effective product enhancements to installation improvements. Our engineers will assist in the design, development and production of special and standard products. The 68,000 square foot manufacturing facility is equipped with a full range of state-of-the-art fabrication equipment. Brey-Krause has the manufacturing expertise and flexibility to resolve problems and satisfy customer needs.

Skilled customer service representatives provide expert advice and product information for all of your project needs. Product samples, technical data sheets, and prompt price quotes are available upon request.

Visit us at www.breykrause.com for more details.

Distributor Package

The distributor package is a grouping of our most popular products. These are the frequently ordered items that we feel stocking distributors should have access to at all times. Every product in the distributor package is in stock on our shelves and ready to ship the same day your order is placed (some restrictions apply).



5 Pack Grab Bars Brey-Krause maintains "ready to ship" stock on 1-1/4" (D-77 Series) and 1-1/2" (D-78 Series) diameter straight grab bars in several lengths and are packaged 5 bars to a box.

D-7812-05-SS 18" 5 pack D-7813-05-SS 24" 5 pack (D-77 available) D-7816-05-SS 36" 5 pack (D-77 available) D-7815-05-SS 42" 5 pack (D-77 available) D-7817-05-SS 48" 5 pack (D-77 available) D-7821-05-SS 30" 5 pack



Universal Frame Mirror

Convert easily to fixed or adjustable tilt mirrors thereby reducing your inventory carrying costs. (See Mirrors section for size details)



Double Roll Toilet Tissue Dispenser (Surface Mount) C-1040-SS

22 ga. stainless steel, holds two 5 1/4" dia. rolls, pivoting front cover equipped with tumbler lock. 4 13/16" x 13 1/4" x 4"



Surface Mount Seat Cover Dispenser C-1031-SS

Unit is fabricated of 22 ga. stainless steel with a satin finish. It is fitted with a tumbler lock, and hinged with a stainless steel piano hinge for easy loading of contents. 11-1/2" H x 15" W x 2-1/2" Depth



C-Fold Paper Towel Dispenser C-1030-SS

Unit is fabricated of 22 ga. stainless steel with a satin finish. It is fitted with a tumbler lock, heavy duty stainless steel piano hinge, and a refill indicator slot on both sides of the cabinet. 14-1/2" H x 11" W x 4" Depth



Sanitary Napkin Disposal C-1010-SS

Unit is fabricated of 22 ga. stainless steel with a satin finish. The bottom panel is fitted with a tumbler lock and hinged with a stainless steel piano hinge for easy removal of contents. The lid is also attached with a stainless steel piano hinge. 10-1/2" H x 8-7/8" W x 3-7/8" Depth

Grab Bar Flange Styles

Grab bars are fabricated from 18 ga. (.049) stainless steel tube and are available in a variety of flange styles (depicted below) and bar configurations (on next page). **To Order:**

Specify the type of flange and tube diameter required by flange number (below).

Specify the shape and size of bar by bar # (next page).

Choose the finish of the bar: SS = Satin Finish BS = Bright Stainless (Other finishes and Powder Coating are available.)

Optional: choose a non-slip gripping surface: P = Peened K = Knurled



Grab Bars

NOTE: Grab bar lengths and bends can be modified to meet architectural requirements. Grab bar numbers in red are fabricated with slip supports for installation flexibility. Large grab bars can be specified with two piece construction and splice kits to allow shipment via UPS. Welded toilet paper holders can be factory installed on most bars.

Bar Numbers

Straight grab bars - numbers are as follows:

- 10 = 12'' straight $14 = 32^{\text{"}}$ straight
- 11 = 16'' straight $15 = 42^{\text{"}}$ straight
- 12 = 18'' straight $16 = 36^{\circ}$ straight $17 = 48^{\text{"}}$ straight
- 13 = 24'' straight

- 21 = 30'' straight

Specify center supports when required.





Grab Bars



Mirrors

Brey-Krause universal frame mirrors set a new standard in quality and installation ease. The innovative design and fabrication method results in a mirror with superior breakage and moisture resistance.

Mirrors are fabricated from one piece, 18 ga., 5/8" x 5/8", satin finish, stainless steel angle frame with tightly mitered corners. Mirror edges are protected by cushioned adhesive strips to prevent damage. The mirror back is galvanized steel and sealed by continuously applied industrial adhesive. Mirror is secured to wall by 2 vandal/theft resistant brackets. The 1/4" float glass mirror is silvered and copper electrolytic plated by galvanic process. Mirrors meet Fed. Spec. DDM-411, DD-G-451d, ANSI 2-97.1-1983 and CPSC-Cat 2-16 CFR.



Universal Frame Mirror

 T-1016-20-SS
 16" Wide X 20" Mirror

 T-1016-24-SS
 16" Wide X 24" Mirror

 T-1018-24-SS
 18" Wide X 24" Mirror

 T-1018-30-SS
 18" Wide X 30" Mirror

 T-1018-36-SS
 18" Wide X 36" Mirror

 T-1024-30-SS
 24" Wide X 30" Mirror

 T-1024-36-SS
 24" Wide X 36" Mirror

Note: Custom mirror sizes available for large quantity projects. Call the factory for details and quotes.

3-in-1 Mirror

With the unique and innovative Brey-Krause mirror design, you can convert your universal frame mirror into either a fixed tilt mirror or an adjustable tilt mirror.

The standard mirror snaps easily into either frame.

See the **Reference Section** for more information.

The following frames require the Universal Frame Mirror listed above.

Adjustable Tilt Mirror Brackets

Use the Adjustable Tilt Mirror Brackets to convert the universal frame mirror to an adjustable tilt mirror.

T-1050-SS Adjustable Tilt Mirror Brackets



Fixed Tilt Mirror Frame

Converts Brey-Krause universal frame mirrors (see sizes available below) to a fixed tilt mirror.

Fixed Tilt Mirror Frame (Frame only) T-1118-30-SS 18" Wide x 30" Tall Fixed Tilt Frame T-1118-36-SS 18" Wide x 36" Tall Fixed Tilt Frame T-1124-36-SS 24" Wide x 36" Tall Fixed Tilt Frame

Fixed Tilt Mirror Kit (Frame and mirror) T-1218-30-SS 18" Wide x 30" Tall Fixed Tilt Mirror Kit T-1218-36-SS 18" Wide x 36" Tall Fixed Tilt Mirror Kit T-1224-36-SS 24" Wide x 36" Tall Fixed Tilt Mirror Kit



Exposed Mount Shelf (18 ga.) K-4031-16-SS 5" deep x 16" wide **K-4031-18-SS** 5" deep x 18" wide **K-4031-24-SS** 5" deep x 24" wide

Mirror Shelving

Shelves are constructed from satin finish, stainless steel with a 3/8" front lip. Integral brackets are screw mounted for added strength. Shelves are fabricated from water-jet cut blanks with smooth edges for added safety.



Concealed Mount Shelf (16 ga.) K-4032-16-SS 5" deep x 16" wide K-4032-18-SS 5" deep x 18" wide K-4032-24-SS 5" deep x 24" wide

Bathroom Accessories

Retractable Clothesline

S-5030-SS



Stainless steel, satin finish reel assembly, anodized aluminum hook & keeper, Extends to fit 72" opening

Line: 5/64" braided nylon seine twine

Overall Size: 3" dia. flange x 1-45/64" Depth

Tumbler/ Toothbrush Holder S-4019-SS



18 ga. stainless steel, satin finish, holds four toothbrushes and a tumbler cup, front edge hemmed for safety

Overall Size: 1-11/16" H x 4-1/2" W x 2-7/8" Depth (hole diameter - 2-1/4")

Toothbrush Holder/ Soap Dish S-4018-SS



18 ga. stainless steel, satin finish, holds four toothbrushes and mini soap bar in center, front edge hemmed for safety

Overall Size: 1-11/16" H x 4-1/2" W x 2-7/8" Depth

Heavy-Duty Liquid Soap Dispenser S-0125-SS

Liquid Soap Dispenser (Horizontal Mount) S-0120-SS Liquid Soap Dispenser (Vertical Mount) S-0121-SS



16 ga. stainless steel, satin finish, hand pump with sight glass, tumbler lock on refill lid

> Capacity: 40 oz.

Overall Size: 7-1/8" H x 4-1/2" W x 3-5/8" D (Spout extends to 5-1/16")



20 ga. stainless steel, satin finish, hand pump with sight glass, lock on refill lid

> Capacity: 40 oz.

Overall Size: 4-7/8" H x 8-1/8" W x 3" D (Spout extends to 4-3/8")



20 ga. stainless steel, satin finish, hand pump with sight glass, lock on refill lid

> Capacity: 40 oz.

Overall Size: 8-1/8" H x 4-7/8" W x 3" D (Spout extends to 4-3/8")

Bathroom Accessories

C-Fold Paper Towel Dispenser C-1030-SS



22 ga. stainless steel, satin finish, tumbler lock, piano hinge, refill indicator slot on both sides of cabinet

> **Capacity:** 400 C-Fold paper towels

Overall Size: 14-1/2" H x 11" W x 4" Depth

Sanitary Napkin Disposal C-1010-SS



22 ga. stainless steel, satin finish, tumbler lock, piano hinge for easy removal of contents - lid also has piano hinge

> Capacity: 1.6 Gallons

Overall Size: 10-1/2" H x 8-7/8" W x 3-7/8" Depth

Waste Can c-1020-ss



22 ga. stainless steel, satin finish, top edge is hemmed for safety.

Capacity: 12 Gallons

Overall Size: 23" H x 15-3/4" W x 8" Depth

Surface Mount Seat Cover Dispenser C-1031-SS



22 ga. stainless steel, satin finish, fitted with tumbler lock, piano hinge for easy refill of contents

> Capacity: Maximum 500 sheets

Overall Size: 11-1/2" H x 15" W x 2-1/2" Depth

www.breykrause.com

Stainless Accessories



These accessories are fabricated from stainless steel, and available in satin and bright finishes. Powder coated finishes are available by special order.

The 4900 series mounting system is concealed as the post is welded to the mounting bracket and flange to form an integral unit. The post assembly mounts on a stainless steel wall plate and is secured with a set screw on the bottom.

4900 Series

Soap Dish



With Drain - S-4910 Without Drain - S-4911

Double Hook



S-4932 Projects 2'

Towel Pin



S-4948 Projects 4 1/4"

Utility Shelf



Soap Dish and Bar

Round 9" Bar - S-4912

Soap Dish same as S-4910

Hat and Coat Hook

S-4935

Toilet Paper Holder



Chrome Plastic Roller - S-4950 White Plastic Roller - S-4953

Towel Supply Shelf

Tumbler Toothbrush Holder



S-4920 4 1/4" x 3"; 2 1/4" hole for tumbler, 6 toothbrush holes

Towel Bar

Single Hook



S-4931 Projects 2" S-4933 Projects 4 1/8"

Towel Ring



S-4944 1/4" rod; 4 7/8" wide, 4 9/16" high; Projects 2"

Door Bumper



S-4947

Finish codes

BS- Bright Stainless SS- Satin Stainless AG- Antimicrobial

To Order

Specify the part number, finish code and length where applicable. Example: S-4942-24-SS

S-4973 Projects 6 3/16" Available in 18", 24", and 30"



S-4955 locking rod

www.breykrause.com



Round 3/4" Bar - S-4942 Square 3/4" Bar - S-4943 Available in 18", 24", and 30"

Double Toilet Paper Holder



Chrome Plastic Roller - S-4959 White Plastic Roller - S-4958

Paper Towel Roll Holder



For 12" L x 6" diameter rollSpring-loaded, non-

Stainless Accessories



These accessories are fabricated from stainless steel, and available in satin and bright finishes.

All accessories are mounted directly to the wall surface. The mount is concealed by a snap-on escutcheon plate that is $2-5/8" \times 1-3/4"$.

4500 Series

Soap Dish



With Drain - S-4510 Without Drain - S-4511

Double Hook



S-4532 Projects 2"

Towel Pin



Soap Dish and Bar

Round 9" Bar - **S-4512** Soap Dish same as S-4510

Hat and Coat Hook



S-4535

Toilet Paper Holder



Chrome Plastic Roller - **S-4550** White Plastic Roller - **S-4553**

Utility Shelf



S-4573 Projects 6 3/16" Available in 18", 24", and 30"

Tumbler Toothbrush Holder



S-4520 4 1/4" x 3"; 2 1/4" hole for tumbler, 6 toothbrush holes

Towel Bar

Round 3/4" Bar - S-4542

Square 3/4" Bar - S-4543

Available in 18", 24", and 30"





S-4531 Projects 1 7/8" **S-4533** Projects 4 1/8"

Towel Ring



S-4544 1/4" rod; 4 7/8" wide, 4 9/16" high; Projects 1 3/4"

Double Toilet Paper Holder



Chrome Plastic Roller - S-4559 White Plastic Roller - S-4558

Finish codes

BS- Bright Stainless SS- Satin Stainless AG- Antimicrobial

To Order

Specify the part number, finish code and length where applicable. Example: S-4542-24-SS

www.breykrause.com

Towel Supply Shelf

S-4548

Projects 4-1/4"



Without drying rod - **S-4572** With drying rod - **S-4574** With drying rod and braces - **S-4577** Available in 18", 24", and 30"

Stainless and Brass Accessories



The Sophisticate Series combines the strength and durability of commercial washroom accessories with the aesthetic appeal of residential design. The Sophisticate Series utilizes the time-tested and durable strength of stainless steel with the beauty of genuine polished brass. A full line of surface mounted accessories, grab bars, shower rods and bath accessories are available.

Sophisticate Series



www.breykrause.com

Available in 18", 24", and 30"

Brass Accessories



The 3700 series brass bathroom accessories are fabricated from solid brass and available in a satin chrome, bright chrome, or natural brass finish. Natural brass finishes are clear powder coated to preserve the finish and provide lasting beauty.

Accessories are mounted with a mounting bracket which is screwed to the wall. The escutcheon plate then covers the mounting bracket and is fixed in place with a set screw in the post.

Soap Dish



With Drain - B-3710 Without Drain - B-3711 Tumbler Toothbrush Holder



B-3720

Single Hook



B-3731 1-3/4" Projection

Single Hook



B-3736 5" Projection

Double Hook



B-3730 2 1/16" Projection

Towel Bar



Round - **B-3740** Square - **B-3743** Available in 18", 24", and 30"

> Double Toilet Paper Holder

Towel Ring



B-3744 1/4" rod; 5" wide, 4 1/4" high; Projects 2 1/4"

Toilet Paper Holder



B-3750

B-3759

Finish codes

BC- Bright Chrome SC- Satin Chrome

www.breykrause.com

Recessed Washroom Accessories

The 2600 series washroom accessories are fabricated from stainless steel, and available in satin or bright finishes. Brass units and powder coated finishes are available by special order. The standard recessed shell is 6-1/4" x 6-1/4" with a required wall opening of 5-1/4" x 5-1/4" x 2". The heavy duty recessed shell is 7-1/8" x 5" with a required wall opening of 6-3/4" x 3-3/4" x 2-3/4". Drywall mounting clamps and tile lugs sold separately.

S-2680: **Rectangular Recessed Tissue Dispenser Box**





Overall Size: 11-7/8" x 6-1/8" x 4" Rough Wall Opening: 10-3/4" x 5-1/4" x 4"

S-2681: Square Recessed Tissue Dispenser Box





Overall Size: 6-1/2" x 6 -1/2" Rough Wall Opening: 5-1/2" x 5-1/2" x 5-1/2"

Faceplate snaps off for quick and easy refilling

S-2675 **Hinged Hood Surface Mount Recess Shell**

Overall Size: 6-5/8" x 6-5/8"

Hood protects paper. Heavy duty plastic spindle holds up to 5-1/8" wide roll of paper. S-2676 - Hinged Hood Surface Mount Double **Recess Shell**



S-2612 22 ga. stainless steel with plastic dish S-2611: 22 ga. stainless steel without plastic dish





S-2650 S-2651 (w/ hinged hood) 22 ga. stainless steel with a chrome plastic roller. S-2640: same as S-2650, but with chrome plated posts.

Heavy Duty Soap Dish

S-2634 20 ga. stainless steel with soap lip and bar Mortar mount shown with welded lugs

S-2634-01: 20 ga. stainless steel with soap lip with drywall mounting clamp. S-2630: 20 ga. stainless steel with soap lip and without bar. S-2630-01: 20 ga. stainless steel with soap lip, without bar with drywall mounting clamp. S-2632: Heavy Duty Soap Dish only, with mortar mount welded lugs

S-2652 Recessed Toilet Tissue Dispenser with Storage





Overall Size: 6-1/2" x 6-1/2" Rough Wall Opening: 5-1/2" x 5-1/2" x 4"

Heavy duty plastic spindle holds rolls up to 4-1/2". Recessed mounting cabinet measures 5" x 5" x 3-15/16", and is deep enough to hold a spare roll.

Soap Dish and Bar



S-2615

22 ga. stainless steel

with plastic dish

S-2614: 22 ga. stainless steel

without plastic dish

S-2645: 22 ga. stainless steel

with plastic dish with chrome plated posts.

S-2644: 22 ga. stainless steel

with chrome plated posts.

Mounting Systems Recessed units can be

mounted using either a dry wall clamp, or tile-type lugs.

Dry Wall Clamp S-2609-01





www.breykrause.com



Recessed Washroom Accessories

S-2659 Recessed Double Toilet Tissue Dispenser



Overall Size: 12-1/2" x 6-1/4 " **Rough Wall Opening:** 11-1/2" x 5 1/4" x 2"

22 ga. stainless steel. Heavy duty plastic spindle holds up to 5-1/8" wide roll of paper.

S-2659-01 Hinged Hood Recessed Double Toilet Tissue Dispenser



Overall Size: 12-1/2" x 6-1/4 " Rough Wall Opening: 11-1/2" x 5 1/4" x 2"

22 ga. stainless steel with hood to protect paper. Heavy duty plastic spindle holds up to 5-1/8" wide roll of paper.

S-2661 Vertical Recessed Double Toilet Tissue Dispenser



Overall Size: 6-1/4 " x 12-1/2" Rough Wall Opening: 5 1/4" x 11-1/2" x 2" 22 ga. stainless steel. Heavy duty plastic spindle holds up to 5-1/8" wide roll of paper. S-2661-01 Vertical Hinged Hood Recessed Double Toilet Tissue Dispenser



Overall Size: 6-1/4 " x 12-1/2" Rough Wall Opening: 5 1/4" x 11-1/2" x 2" 22 ga. stainless steel with hood to protect paper. Heavy duty plastic spindle holds up to 5-1/8" wide roll of paper. Double Roll Toilet Tissue Dispenser (Surface Mount)

ŕ

C-1040-SS 22 ga. stainless steel, holds two 5 1/4" dia. rolls, pivoting front cover equipped with tumbler lock. 4 13/16" x 13 1/4" x 4"



Double Roll Toilet

C-1040-01-SS 22 ga. stainless steel, holds two 5 1/4" dia. rolls, pivoting frontcover equipped with tumbler lock. 4 13/16" x 13 1/4" x 4"

Mounting Systems

Recessed units can be mounted using either a dry wall clamp, or tile-type lugs (sold separately).



Vertical Dry Wall Clamp

S-2619-01 (for use with

S-2661 and S-2661-01)



Dry Wall Clamp

S-2609-01

Tile Type Lugs

S-2601-01

Note: Double dispensers require two (2) clamps / lug sets per unit

Shower and Tub Seats

Shower and tub seats are constructed to meet A.D.A. accessibility guidelines. Folding shower seats utilize a self-locking mechanism. One-piece phenolic tops are 1/2" thick. White poly tops are 1/2" thick, and stainless steel tops are 14 gauge. Seat frames are fabricated from stainless steel. Other models and sizes are available upon request.



The unique Brey-Krause design eliminates having to stock multiple shower seats or pre-determine the handing required. The Brey-Krause "reversible handing" shower seats enable one shower seat to be simply installed in either the left-hand or the right-hand configuration. See the Reference Section in the back of the catalog for a detailed explanation.



S-6215-SS 18" X 16" folding shower seat with one-piece white poly top

S-6216-SS 18" X 16" folding shower seat with one-piece stainless steel top

S-6276-SS 18" X 16" folding shower seat with onepiece woodgrain phenolic top

S-6275-SS 18" X 16" folding shower seat with one-piece ivory phenolic top



S-6278-SS 32-1/2" x 16-1/4" Folding tub seat with one-piece woodgrain phenolic top

S-6277-SS

32 1/2" x 16-1/4" Folding tub seat with one-piece ivory phenolic top

S-6017-SS

32 1/2" x 16 1/4" Folding tub seat with one-piece white poly top



Reversible Handing

S-6212-SS 32" X 22-1/2" folding shower seat with one-piece white poly top

S-6280-SS 32" X 22-1/2" folding shower seat with one-piece woodgrain phenolic top

S-6279-SS 32" X 22-1/2" folding shower seat with one-piece ivory phenolic top



S-6202-SS Left hand 32" X 22-1/2" folding shower seat with one-piece stainless top

S-6203-SS Right hand 32" X 22-1/2" folding shower seat with one-piece stainless top



S-6018-SS 9" x 21-1/2" removable stainless steel tub seat fits tub with 3.5" wide lip with white poly top (shown above)

S-6096-SS

9" x 21-1/2" removable stainless steel tub seat fits tub with 3.5" wide lip with 16 ga. stainless steel top



S-6095-SS 11 ga. 8" x 23-3/4" removable stainless steel tub seat with integral stiffening flange

Note: All removeable tub seats require that a dimensions sheet be completed when ordering. Contact factory for details.

Shower Rod Flanges



Flat, round exposed mount flange with welded collar for added strength. One flange has a set screw (supplied) hole to the secure shower rod. Flange is .180 thick x 3" dia. stainless steel.

S-4673: 1" Hole **S-4674:** 1-1/4" Hole Finishes: SS, BS



Formed, round exposed mount flange with welded collar for added strength. One flange has a set screw (supplied) hole to the secure shower rod. Flange is .120 thick x 1/2" depth x 3" dia. stainless steel.

> S-4640: 1" Hole S-4642: 1-1/4" Hole Finishes: SS, BS



Formed round exposed mount flange (no welded collar). Flange is .120 thick x 1/2" depth x 3" dia. stainless steel.

S-4651: 1" Hole S-4656: 1-1/4" Hole S-4657: 1-1/2" Hole Finishes: SS, BS



Solid one piece round exposed mount flange (light & heavy duty) One flange has a set screw (supplied) hole to the secure shower rod. Made from cast brass.

B-2960: 1" Hole (light) - 2.219 dia. **B-2961:** 1" Hole (heavy) - 2.562 dia. **B-2965:** 1-1/4" Hole - 2.625 dia. Finishes: BC, SC, SB, BB



Formed light duty round exposed mount flange with formed collar. Identical pairs. Flange is 2.75" dia. stainless steel.

S-4660: 1" Hole S-4665: 1-1/4" Hole Finishes: SS, BS



Formed light duty round exposed mount flange (no formed collar.) Identical pairs. Flange is 3" dia. x .420" depth stainless steel.

S-4661: 1" Hole **S-4666:** 1-1/4" Hole Finishes: SS, BS



Formed round concealed mount flange with welded collar for added strength. One flange has a set screw (supplied) hole to the secure shower rod. Zinc plated mounting plate and set screws supplied. Flange is .120 thick x 1/2" depth x 3" dia. stainless steel

> **S-4669:** 1" Hole **S-4671:** 1-1/4" Hole Finishes: SS, BS



Formed, round concealed mount flange (no welded collar) Zinc plated concealed mount back plate & set screws supplied. Flange is .120 thick x 1/2" depth x 3" dia. stainless steel

S-4693: 1" Hole **S-4679:** 1-1/4" Hole **S-4698:** 1-1/2" Hole Finishes: SS, BS



Formed, round concealed mount snap-on flange and cover. Flange has a welded collar concealed by snap-on cover. Made from 3" dia. x .078" thick stainless steel.

S-4691: 1" Hole **S-4696:** 1-1/4" Hole Finishes: SS, BS

Shower Rod Flanges, Rods & Accessories



Formed oval concealed mount snap-on flange and cover. Flange has welded light duty collar and is concealed by a snap-on cover that snaps onto flange after mounting. Made from stainless steel.

S-4690: 1" Hole S-4695: 1-1/4" Hole Finishes: SS, BS



Formed round exposed mount break-away flange. Spring loaded design releases shower rod under load. Made from stainless steel. Flange is .120 thick x 1/2" depth x 3" dia. stainless steel.

S-4650: 1" Hole Break-away Flange Finishes: SS, BS



Solid concealed mount collar flange (supplied) and mounting plate. One flange has a set screw to secure the shower rod. Brass collar screws onto brass mounting plate. **Note:** Stainless Steel version is also available (SS, BS)

B-4360: 1" Hole B-4365: 1 1/4" Hole Finishes: BC, SC, SB, BB, SS, BS



Solid one piece exposed mount 45 degree flange. One flange has a set screw (supplied) to secure shower rod. Made from cast brass.

B-2946: 1" Hole **B-2948:** 1-1/4" Hole Finishes: BC, SC, SB, BB (45°)

Heavy Duty Towel Bars



Solid one piece 90 degree T-connector. Two set screws (supplied) secure the rod. Made from cast brass.

D-6060: 1" Hole D-6062: 1-1/4" Hole Finishes: BC, SC, SB, BB (Tee)



Finish codes BS- Bright Stainless Steel

SS- Satin Stainless Steel SN- Satin Nickel-Plated Brass SC- Satin Chrome-Plated Brass BC- Bright Chrome-Plated Brass BB- Bright Brass SB- Satin Brass AG- Antimicrobial - available for all bars Other finishes available

Shower Rods

XX = length of tube

Tube Diameter: 1" Stainless

U-1024-XX" Wall/Gauge: .035/20 - Finishes: SS, BS

U-1025-XX" Wall/Gauge: .049/18 - Finishes: SS, BS

Tube Diameter: 1-1/4" Stainless

U-1029-XX" Wall/Gauge: .035/20 - Finishes: SS, BS

U-1030-XX" Wall/Gauge: .049/18 - Finishes: SS, BS

Tube Diameter: 1-1/2" Stainless

U-1040-XX" Wall/Gauge: .049/18 - Finishes: SS, BS

Curved Shower Rods

Brey-Krause's heavy-duty curved Shower Rods are offset by 6-7/32 inches and greatly increase the space available behind the shower curtain. Their solid construction using heavy-gauge materials and welded flanges protect against vandals and excessive wear. Our curved shower rods a similar design and materials to those used in our grab bars. They are **specified to fit 60**" **openings** with custom lengths available by special request. Call the factory for more details.

The bars are fabricated from either 1" or 1 1/4" diameter 18 gauge (.049 wall) stainless steel tubing, and available in satin stainless (SS), bright stainless (BS), and several powder-coated finishes.

Note: The shower rod and flanges are sold as one unit.



The Brey-Krause curved shower rod provides unique mounting flanges that **adjust to fit wall openings between 58-5/8" to 61-1/2" width when your opening is not exactly 60"** (custom rod lengths are available upon request)



Hooks

Our hooks are fabricated from stainless steel and solid brass and can be installed for for commercial or residential use. Hooks are available in a variety of finishes (see finish coode list below). Special hooks and stainless steel hook strips can be fabricated to meet your requirements.



Door Hardware

Brey-Krause door plates, corner guards, and kickplates are generally fabricated from 18 gauge, stain finish stainless steel. Plates are countersunk with holes for mounting. Corner guards, kickplates, and door guards are fabricated for either adhesive or fastener mounting (not included). The standard items are depicted below, however these items can be custom fabricated to your specifications.

Finish codes

BS- Bright Stainless SS- Satin Stainless AG- Antimicrobial PC - Powder Coated

Push/Pull Plates:





www.breykrause.com

Partition Hardware

Brey-Krause manufactures a wide variety of stainless steel partition hardware, fabricated from stainless steel with a satin finish. Partition hardware requires approximately two weeks for production. For special sizes or finishes, contact the factory.

K-8010-SS 3' X 3-3/8' X 1' K-8011-SS 2' X 3-3/8' X 1-1/4' 22 ga., weldad K-8015-SS 3' X 3-3/8' X 1-1/4' 22 ga., square K-8020-SS 3' X 3-3/8' X 1-1/4' 22 ga., recurd K-8020-SS 3' X 3-3/8' X 1-1/4' 22 ga., recurd K-8020-SS 3' X 3-3/8' X 1-1/4' 22 ga., recurd S' X 3-3/8' X 1-1/4'' 22 ga., recurd Pilastor Headrail Bracket Headrail Bracket U-Channel Wall Bracket Headrail/Wall Bracket Pilastor Headrail Bracket Pilastor Headrail Bracket K-8050-SS 56'' X 1-1/4'' 18 ga. K-8056-SS 1-1/4'' 18 ga. K-8070-SS 1-1/4'' 18 ga. K-8070-SS 1-1/4'' 19 ga. K-8070-SS 1-1/4'' 19 ga. K-8070-SS K-8071-SS 1-1/4'' 19 ga. K-8070-SS K-8071-SS 1-1/4'' 19 ga. K-8070-SS K-8071-SS 1-1/4'' 19 ga. K-8071-SS K-8071-SS K-8071-SS K-8071-SS K-8071-SS 1-1/4'' 19 ga. Bumper Hook K-8072-SS 1-1/4'' 14 ga. K-8076-SS 1-1/4'' 14 ga. K-8081-SS K-8081-SS 1-1/4''' 14 ga. K-8071-SS K-8072-SS 1-1/4''' 14 ga.	Pilaster Shoe	Pilaster Shoe	Pilas	ter Shoe	Pilaster Floor Anchor	
3" X 3-3/8" X 1" 3" X 3-3/8" X 1" 3/4" X 3" X 3" 3" X 3-3/8" X 1-1/4" 22 ga, square 3" X 3-3/8" X 1-1/4" 3/4" X 3" X 3" 1 piece unit 4 piece unit 4 piece unit 18 ga. K-8050-SS 58" X 1" K-8055-SS 58" X 1" K-8070-SS 58" X 1-1/4" 18 ga. K-8055-SS 58" X 1" K-8070-SS 58" X 1-1/4" 18 ga. K-8055-SS 58" X 1" K-8070-SS 58" X 1-1/4" 18 ga. 1-1/4" 18 ga. K-8073-SS 58" X 1-1/4" 18 ga. 1-1/4" 18 ga. K-8073-SS 1-1/4" 18 ga. 1-1/4" 18 ga. K-8073-SS 1-1/4" 18 ga. 1-1/4" 18 ga. K-8073-SS 1-1/4" 18 ga. 1-1/4" 18 ga. B-5015-BC K-8075-SS K-8075-SS 1-1/4" 14 ga. B-5015-BC K-8075-SS 1-1/4" 14 ga. 14 ga. 14 ga. K-4090-SS 18" high, with 2 8" X 8" 1-1/4" 14 ga. Adjustable Partition K-8075-SS 18" high, with 2 8" X 8" 14 ga. 14 ga.						
Wall BracketBracketBracketBracket K -8050-SS $58'' X 1^{-1}$ K -8055-SS $58'' X 1^{-1/4''}$ K -8070-SS $1'' X-8051-SS1'' 18 ga.K-8070-SS1'' X-8073-SS1-1/4'' 18 ga.K-8072-SS1'' X-8073-SS1-1/4'' 18 ga.F-BracketT- BracketU-BracketDoor PullBumper HookK-8074-SS1'' X-8075-SS1-1/4''' 14 ga.K-8088-SS1-1/4''' 18 ga.K-8081-SS4'' OverallK-8051-SS4'' OverallK-8051-SS4'' OverallK-8075-SS1-1/4'' 14 ga.K-8077-SS1-1/4'' 14 ga.K-8088-SS1-1/4'' 14 ga.K-8081-SS1-1/4'' 14 ga.K-8081-SS4'' OverallK-8051-SS4'' OverallK-8075-SS1-1/4'' 14 ga.K-8055-SS1-1/4'' 14 ga.K-8080-SS1-1/4'' I4 ga.K-8061-SS1-1/4'' I4 ga.Corner Purse ShelfPedestal SupportK-8060-SS13'' high, with 2 8'' x 8''_{0}stainless with 4 mounting holesweided to 11 ga. stainlessK-8060-SS12'' high, tube is 18 gaugemunting bracket and7 a. for faore fangeK-4090-SSis 7'' cetured edgeon all 3 sides.K-8065-SS13'' high, with 2 8'' x 8''_{0}support tadjusts from10'-14''.$	3" X 3-3/8" X 1" K-8011-SS 3" X 3-3/8" X 1-1/4" 22 ga., welded	3" X 3-3/8" X 1" K-8016-SS 3" X 3-3/8" X 1-1/4" 22 ga., square	3" X 3-3/8" X 1" K-8021-SS 3" X 3-3/8" X 1-1/4" 22 ga., round		3/4" X 3" X 3"	
$58^{\circ} \times 1^{\circ}$ K-8051-SS SB" X 1-1/4" 18 ga. $58^{\circ} \times 1^{\circ}$ K-8056-SS SS" X 1-1/4" 18 ga. 1° K-8071-SS 1-1/4" 18 ga. 1° K-8073-SS 1-1/4" 18 ga.F-BracketT- BracketU-BracketDoor PullBumper Hook \widetilde{K} -8074-SS 1" K-8075-SS 1-1/4" 14 ga.K-8076-SS 1" K-8075-SS 1-1/4" 14 ga. K -8076-SS 1-1/4" 14 ga. K -8088-SS 1" K-8089-SS 1-1/4" K -8081-SS 4" Overall B -5015-BC Chrome-plated 	Headrail Bracket					
$58^{\circ} \times 1^{\circ}$ K-8051-SS SB" X 1-1/4" 18 ga. $58^{\circ} \times 1^{\circ}$ K-8056-SS SS" X 1-1/4" 18 ga. 1° K-8071-SS 1-1/4" 18 ga. 1° K-8073-SS 1-1/4" 18 ga.F-BracketT- BracketU-BracketDoor PullBumper Hook \widetilde{K} -8074-SS 1" K-8075-SS 1-1/4" 14 ga.K-8076-SS 1-1/4" 14 ga.K-8076-SS 1-1/4" 14 ga. K -8088-SS 1-1/4" 14 ga. K -8081-SS 1-1/4" 14 ga. K -8081-SS 4" OverallBumper Hook \widetilde{K} -8075-SS 1-1/4" 14 ga. \widetilde{K} -8077-SS 1-1/4" 14 ga. \widetilde{K} -8089-SS 1-1/4" 14 ga. \widetilde{K} -8081-SS 1-1/4" \widetilde{K} -8081-SS 4" Overall \widetilde{K} -8061-SS Support tobe. \widetilde{K} -4090-SS 18" high, with 2.8" x 8" plates with 4 mounting holes welded to 11 ga. stainless support tube.Fixed Partition Support \widetilde{K} and for flange. \widetilde{K} -8061-SS Support adjusts from 10"-14". Tube is 18 gauge stainless with 16 gauge mounting bracket and 7 ga. floor flange. \widetilde{K} -8061-SS Support adjusts from 10"-14". Tube is 18 gauge stainless with 16 gauge mounting bracket and 7 ga. floor flange. \widetilde{K} -8061-SS Support adjusts from 10"-14". Tube is 18 gauge stainless with 16 gauge mounting bracket and 7 ga. floor flange. \widetilde{K} -8061-SS Support adjusts from 10"-14". Tube is 18 gauge support tube.						
K-8051-SS 58" X 1-1/4"K-8056-SS 58" X 1-1/4"K-8071-SS 1-1/4"K-8073-SS 1-1/4"Image: State in the image in the i			K-8070-SS			
58" X 1-1/4" 18 ga. 58" X 1-1/4" 18 ga. 1-1/4" 18 ga. 1-1/4" 18 ga. F-Bracket T- Bracket U-Bracket Door Pull Bumper Hook K-8074-SS 1" K-8076-SS 1" K-8076-SS 1" K-8088-SS 1" K-8081-SS 4" Overall B-5015-BC Chrome-plated brass hook with 3" projection. K-8075-SS 1-1/4" Pedestal Support Fixed Partition Support Adjustable Partition Support adjusts from 10"-14". K-4090-SS 18 ga. shelf is 7" deep x 10" wide with a 1" returned edge on all 3 sides. K-8065-SS 18" high, with 2 8" x 8" plates with 4 mounting holes welded to 11 ga. stainless support tube. Fixed Partition Support ag floor flange. Adjustable Partition Support adjusts from 10"-14".			-		-	
F-Bracket T- Bracket U-Bracket Door Pull Bumper Hook Image: Stress of the	58" X 1-1/4"	58" X 1-1/4"	1-1/4"		1-1/4"	
K-8074-SS 1"K-8076-SS 1"K-8076-SS 1"K-8088-SS 1"K-8081-SS 4" OverallB-5015-BC Chrome-plated brass hook with 3" projection.K-8075-SS 1-1/4" 14 ga.14 ga.14 ga.K-8089-SS 1-1/4"B-5015-BC Chrome-plated brass hook with 3" projection.Corner Purse ShelfPedestal SupportFixed Partition SupportAdjustable Partition Support Tube is 18 gauge stainless with 16 gauge mounting bracket and 1 ga. stainless with 16	18 ga.	18 ga.	18 ga.		18 ga.	
1" 1" 1" 4" Overall Chrome-plated K-8075-SS K-8077-SS K-8089-SS Diraction Support Chrome-plated 1-1/4" 1-1/4" 1-1/4" 3" projection. 14 ga. 14 ga. 14 ga. 14 ga. Adjustable Partition Corner Purse Shelf Pedestal Support Fixed Partition Support Adjustable Partition K-4090-SS 18 ga. shelf K-8065-SS K-8060-SS Support K-8061-SS 18 ga. shelf K-8065-SS 18" high, with 2 8" x 8" Support tube. Support tube. K-8060-SS Support adjusts from 10"-14". welded to 11 ga. stainless support tube. Support flange. K-8061-SS Support adjusts from 10"-14".	F-Bracket	T- Bracket	U-Bracket	Door Pull	Bumper Hook	
1" 1" 1" 4" Overall Chrome-plated K-8075-SS K-8077-SS K-8089-SS Diraction Support Chrome-plated 1-1/4" 1-1/4" 1-1/4" 3" projection. 14 ga. 14 ga. 14 ga. 14 ga. Adjustable Partition Corner Purse Shelf Pedestal Support Fixed Partition Support Adjustable Partition K-4090-SS 18 ga. shelf K-8065-SS K-8060-SS Support K-8061-SS 18 ga. shelf K-8065-SS 18" high, with 2 8" x 8" Evaluation Support K-8060-SS Support adjusts from 10"-14". welded to 11 ga. stainless support tube. Support flange. Toga floor flange. K-8061-SS 0 all 3 sides. Support tube. Support flange. Support flange. K-8061-SS				Ļ	C.	
K-8075-SS 1-1/4"K-8077-SS 1-1/4"K-8089-SS 1-1/4"brass hook with 3" projection.14 ga.14 ga.14 ga.14 ga.3" projection.Corner Purse ShelfPedestal SupportFixed Partition SupportAdjustable PartitionK-4090-SS 18 ga. shelf is 7" deep x 10" wide with a 1" returned edge on all 3 sides.K-8065-SS 18 ga. shelf is 7" deep x 10" wideK-8065-SS 18" high, with 2 8" x 8" plates with 4 mounting holes welded to 11 ga. stainless support tube.K-8060-SS 12" high, tube is 18 gauge stainless with 16 gauge mounting bracket and 7 ga. floor flange.K-8061-SS Support adjusts from 10"-14".		K-8076-SS		K-8081-SS		
1-1/4" 1-1/4" 1-1/4" 3" projection. 14 ga. 14 ga. 14 ga. 3" projection. Corner Purse Shelf Pedestal Support Fixed Partition Support Adjustable Partition K-4090-SS K-8065-SS K-8065-SS K-8060-SS K-8060-SS K-8061-SS 18 ga. shelf K-8065 with 4 mounting holes K-8060-SS 12" high, tube is 18 gauge K-8061-SS 18" high, with 2 8" x 8" plates with 4 mounting holes welded to 11 ga. stainless 12" high, tube is 18 gauge K-8061-SS 10" on all 3 sides. Support tube. Tube is 18 gauge K-8061-SS Support adjusts from 10"-14".	-			4" Overall		
Corner Purse ShelfPedestal SupportFixed Partition SupportAdjustable PartitionImage: ShelfImage: Shelf						
K-4090-SS 18 ga. shelf is 7" deep x 10" wide with a 1" returned edge on all 3 sides.K-8065-SS 18" high, with 2 8" x 8" plates with 4 mounting holes support tube.K-8060-SS 12" high, tube is 18 gauge stainless with 16 gauge mounting bracket and 7 ga. floor flange.K-8061-SS Support adjusts from 10"-14".	14 ga.	14 ga.	14 ga.			
18 ga. shelf18" high, with 2 8" x 8"12" high, tube is 18 gaugeSupport adjusts fromis 7" deep x 10" wideplates with 4 mounting holesstainless with 16 gauge10"-14".with a 1" returned edgewelded to 11 ga. stainlessmounting bracket andTube is 18 gauge10"-14".on all 3 sides.support tube.7 ga. floor flange.16 ga. mounting bracket	Corner Purse Shelf	Pedestal Support	Fixed Par	tition Support		
18 ga. shelf18" high, with 2 8" x 8"12" high, tube is 18 gaugeSupport adjusts fromis 7" deep x 10" wideplates with 4 mounting holesstainless with 16 gauge10"-14".with a 1" returned edgewelded to 11 ga. stainlessmounting bracket andTube is 18 gauge10"-14".on all 3 sides.support tube.7 ga. floor flange.16 ga. mounting bracket						
is 7" deep x 10" wide with a 1" returned edge on all 3 sides. is 7" deep x 10" wide welded to 11 ga. stainless support tube. is 7" deep x 10" wide welded to 11 ga. stainless support tube. is 7 ga. floor flange. is 7 ga. floor flange. is 7 ga. floor flange. is 7 ga. floor flange. is 7 ga. floor flange.						
with a 1" returned edge welded to 11 ga. stainless mounting bracket and Tube is 18 ga. stainless with on all 3 sides. 7 ga. floor flange. 16 ga. mounting bracket						
	with a 1" returned edge	welded to 11 ga. stainles	ss mounting	bracket and T	ube is 18 ga. stainless with	
	on all 3 sides.	support tube.	7 ga. flo	oor flange.		

www.breykrause.com

Stainless Shelving

Shelves and brackets are fabricated from stainless steel.

Standard sizes are 6" deep by 18", 24" or 36" wide. Corners are welded and ground smooth for added strength and safety.

Shelves can be fabricated in a wide range of sizes. Contact the factory for details on custom sizes. To Order:

Example:

K-4040 -

Specify part number, width and finish.

Part # + Width(") + Finish

36

Finish codes

SS- Satin Stainless AG- Antimicrobial



K-4040 Shelf top has a 3/8" returned edge on all 4 sides. 18 ga. utility shelf with 16 gauge welded brackets Finish: SS Depth: 6"



Shelf top has a 3-1/2" wall flange and a 1/2" raised front lip. Finish: SS Depth: 6" K-6060: 11 ga. shelf exposed mount

K-6061: 11 ga. shelf concealed mount

- SS = K-4040-36-SS

K-6066: 11 ga. shelf with toothbrush slots, exposed mount

K-6067: 11 ga. shelf with toothbrush slots, concealed mount



K-4050
Shelf top has a 3/4" returned edge on all 4 sides. Front edge is hemmed for added safety.
18 ga. utility shelf with 16 gauge welded brackets
Finish: SS Depth: 6"



Shelf top has a 3-1/2" backsplash and a 1/2" raised front lip.Finish: SSDepth: 6"K-6062: 11 ga. shelf with backsplash, exposed mountK-6063: 11 ga. shelf with backsplash, concealed mount



K-4030 Shelf top has a 3/4" returned edge on the back and 3/8" returned edge on the front. End brackets are integral with shelf. 18 ga. 1 piece utility shelf. Finish: SS Depth: 6"



K-4090 Corner shelf is 7" deep with 10" sides and a 1" returned edge on all 3 sides 18 ga. corner shelf/purse shelf Finish: SS Depth: 6"



Shelf brackets are 3 3/4" high with a projection of approximately 5 1/4". Other sizes available upon request. Finish: SS Depth: 3 3/4" x 5 3/4"



Janitorial Accessories

Shelves, brackets and hooks are fabricated from satin finish stainless steel. Janitorial accessories can be fabricated in other sizes to meet architectural requirements.

Finish codes

To Order: Specify part number, size and finish. Example: Part # + Length(") + Finish K-1001 - 24 - SS K-1001-24-SS =

BS- Bright Stainless SS- Satin Stainless SC- Satin Chrome BC- Bright Chrome AG- Antimicrobial







Sheet Metal **Clothes Hook** Hook 1-1/4" 2-1/4" projection projection (stainless steel) **Utility Shelf** (stainless steel) S-5036 18 ga. stainless steel shelf 8" deep with spring loaded S-5035 Finish: rubber cams and rag hooks. Finish: SS Finish: SS, BS SS, BS K-1010-30": Utility shelf with 3 holders and 2 hooks K-1010-30"-01: 30" with drying rod K-1011-36": Utility shelf with 4 holders and 3 hooks K-1011-36"-01: 36" with drying rod

Hook Strip 18 ga. stainless steel. Hooks are 1" wide x 6-1/2" high and project 2-1/4". Mounting strip is 4" high with a 1/4" return. K-1020: Hook strip with 3 hooks **Size:** 24" Finish: SS **K-1021:** Hook strip with 4 hooks Finish: SS Size: 36"



(solid brass) B-5015 Finish: BC, SC



Bottle Opener (stainless steel) S-0110 Finish: SS, BS

Bottle Opener (solid brass) B-0110 Finish: BC, SC



Utility Shelf

Shelf with hooks, mop and broom holders. 18 ga. stainless steel shelf 8" deep with spring loaded rubber cams. Finish: SS K-1030: 34" Utility shelf with 3 holders and 4 hooks K-1031: 44" Utility shelf with 4 holders and 5 hooks

Anti-Ligature Accessories

The Brey-Krause line of anti-ligature accessories was designed to reduce the risk of self-harm by occupants. They are ideal for use in various applications including correctional and psychiatric institutions, as well as schools and military facilities.

These heavy-duty accessories are fabricated from satin finish stainless steel.

Security Grab Bar with closure plate

1-1/2" diameter, 18 ga. stainless steel tube with welded 11 ga. closure plate. Exposed and concealed flanges are available. (Concealed flange shown)



Break-Away Shower Flange



S-4650-SS Spring loaded design releases shower rod under load, 1" dia, rod, Mounts with #10 oval head screw.

Heavy Duty Recessed Soap Dish



S-2632-SS 20 ga. stainless steel, beveled for secure fit, dimpled for soap.

S-2631-SS Rear wall concealed mount S-2633-SS Soap Dish with Bar

Recessed Toilet Paper Holder



S-4080-SS 14 ga. face plate, 18 ga. cylinder, welded construction, stainless steel, 8" x 8" face plate, 5" inside diameter, 4" depth

Heavy Duty Recessed Tumbler

Exposed



S-2620-SS 20 ga. stainless steel, beveled for secure fit.

S-2621-SS Rear wall concealed mount

Security Mirror



T-8010-BS 12" x 14" Frameless one piece exposed mount mirror 16 ga. polished bright stainless steel mirror

Hooded Toilet Paper Holder



S-4052-SS One piece housing is fabricated from 14 ga. stainless steel satin finish. Spindle assembly is fabricated from 7 ga. stainless steel with a 3/16" padlock hole. (padlock and fasteners not included)

Anti-Ligature Accessories

Security Hooks

These security hooks have pivoting ball joints that release when excessive force is applied. Flanges are constructed of 11 gauge stainless steel, and back plates for hook strips use one-piece 14 gauge stainless steel. They are ideal for use in various applications including correctional and psychiatric institutions, as well as schools and military facilities.

Concealed Mount Security Towel Hook



S-4039-SS

3" dia. x 2.5" projection (2) 1/4"-20 1-1/2" mounting tee nuts welded to back (hardware not included- access behind wall necessary for installation)

Concealed Mount Security Hook Strip



S-4037-SS

6" H x 18" W x 2.5" projection
(6) 1/4"-20 1-1/2" mounting tee nuts welded to back
(hardware not included- access behind wall necessary for installation)

Exposed Mount Security Towel Hook



S-4040-SS

3" dia. x 2.5" projection Includes (3) 1/4"-20 1-1/2" pin in Torx screws

Hook Strip Shelf



K-4038-18-SS

5" H x 18" W x 8" projection 18 gauge stainless steel construction (hardware not included)



Shelf shown mounted above (hook strip sold separately)

Exposed Mount Security Hook Strip



S-4038-SS

6" H x 18" W x 2.5" projection Includes (6) 1/4"-20 1-1/2" pin in Torx screws

Security and Vandal Resistant Accessories

Wall sleeves and rear wall mounting kits are available. Anchors are not included. Security Towel Bar Security Double **Security Toilet** Towel Bar Paper Holder S-4042-24-SS S-4043-24-SS S-4050-SS 1" Dia. x 24" 16 ga. 1" Dia. x 24" 16 ga. 7 ga. stainless steel stainless steel tube with stainless steel tubes with with 16 ga. 1" dia. tube. welded 11 ga. end brackets. welded 11 ga. end brackets. Exposed shown, S-4041-24-SS concealed also available. Concealed mount Surface Mounted Surface Mount Surface Mount Tumbler **Toothbrush Holder** Soap Dish S-4020-SS S-4010-SS S-4022-SS 11 ga. stainless steel. 11 ga. stainless steel 11 ga. stainless steel, Exposed shown, with 3 drain holes and raised holds 4 brushes and cup. concealed also available. edges to hold soap. S-4023-SS S-4011-SS Concealed mount Concealed mount **Heavy Duty Double Roll Toilet Double Roll Toilet** Curtain Hook **Tissue Dispenser Tissue Dispenser** (Surface Mount) w/ Hinged Hoods (Surface Mount)

S-0152-SS 11 ga. stainless steel for 1" dia. rod. C-1040-SS 22 ga. stainless steel, holds two 5 1/4" dia. rolls, pivoting front cover equipped with tumbler lock. 4 13/16" x 13 1/4" x 4" C-1040-01-SS 22 ga. stainless steel, holds two 5 1/4" dia. rolls, pivoting front cover equipped with tumbler lock. 4 13/16" x 13 1/4" x 4"

www.breykrause.com

Security and Vandal Resistant Accessories

Security Mirrors

T-8010-BS 12" x 14"

Frameless one piece exposed mount mirror 16 ga. polished bright stainless steel mirror.

T-8013-SS 12" x 14"

Framed seamless corner construction exposed mount mirror. 16 ga. polished bright stainless steel mirror with 18 ga. satin finish stainless steel frame.

Two Concealed Mount Sizes Available:

T-8014-SS 12" x 14" T-8014-01-SS 18" x 24"





Stainless steel heavy-duty shower seat capable of supporting over 500 pounds for use in security and bariatric facilities. The seat top is fabricated from 14 ga. stainless steel and available in an L-shape or rectangular-shape. All seat tops lock in the upright position using a locking hasp. (Padlock not included)

S-6204-SS L-Shaped Left Hand- 32" x 23" L-projection



OptionsS-6501-SSRectangular 16" x 32" - Left Hand Locking HaspS-6503-SSRectangular 16" x 38" - Left Hand Locking Hasp

S-6205-SS L-Shaped Right Hand- 32" x 23" L-projection



Options:S-6502-SSRectangular 16" x 32" - Right Hand Locking HaspS-6504-SSRectangular 16" x 38" - Right Hand Locking Hasp

Locked in up position when seat is not used



Lock Hinge Assembly shown while seat is in use

Color Options



NOTE: Due to printing variances, the actual color of the material may differ.

Installation

To Order Fasteners:

Choose the appropriate mounting kits based on the wall construction and the type of grab bar flanges to be installed. One mounting kit is required for each flange.

Flanges							
Wall	Oval Exposed	Round Exposed	Round Exposed	Concealed	Oval Snap-On	Round Snap-On	
Wood Backing	D-1504-01 (Two) #10 x 2" Oval Head SS Sheet Metal Screws	D-1502-01 (Three) #10 x 2" Oval Head SS Sheet Metal Screws	D-1503-01 (Three) #10 x 2" Pan Head SS Sheet Metal Screws	D-1508-01 (Two) #10 x 2" Pan Head SS Sheet Metal Screws	D-1506-01 (Two) #12 x 2" Pan Head SS Sheet Metal Screws	D-1509-01 (Two) #10 x 2" Pan Head SS Sheet Metal Screws	
1" Toilet Partition	D-1524-02-SS (One) 3 ¼" Dia. 16 Guage SS Plate with Coupling Nuts & Screws	D-1523-02-SS (One) 3 ¼" Dia. 16 Guage SS Plate with Coupling Nuts & Screws	D-1523-02-SS (One) 3 ¼" Dia. 16 Guage SS Plate with Coupling Nuts & Screws	D-1569-01-SS (One) 3 ¼" Dia. 11 Guage SS Plate with 3/8" Threaded Stud & Nut	D-1526-02-SS (One) 3 ¼" Dia. 16 Guage SS Plate with Coupling Nuts & Screws	D-1527-02-SS (One) 3 ¼" Dia. 16 Guage SS Plate with Coupling Nuts & Screws	
Through Wall	Consult Factory						
Dry Wall	D-1544-01 (Two) #10 – 24 x 3" SS Machine Screws with Toggles	D-1542-01 (Three) #10 – 24 x 3" SS Machine Screws with Toggles	D-1550-01 (Three) #10 – 24 x 3" ZP Machine Screw with Toggle	D-1548-01 (One) 3/8" – 16 x 3" ZP Machine Screw with Toggle	D-1546-01 (Two) #10 – 24 x 3" ZP Machine Screw with Toggle	D-1546-01 (Two) #10 – 24 x 3" ZP Machine Screw with Toggle	
Masonry Wall	D-1554-01 (Two) #10 – 24 SS Machine Screws with Expansion Shields	D-1552-01 (Three) #10 – 24 SS Machine Screws with Expansion Shields	D-1560-01 (Three) #10 – 24 ZP Machine Screws with Expansion Shields	D-1558-01 (Three) 3/8" – 16 x 3" ZP Machine Screw with Expansion Shield	D-1556-01 (Three) #10 – 24 SS Machine Screws with Expansion Shields	D-1561-01 (Two) #10 – 24 ZP Machine Screws with Expansion Shields	
In-Wall Plate	Several Types Available Consult Factory						



1" toilet partition and round exposed flange.



Kit D-1569-01-SS

1" toilet partition and concealed flange.



Reference: Railings

To Order Railings:

We can quote most accurately if you supply the railing number, total footage and prints. Our engineers will work with you to help meet your specific design requirements. Railings are available in numerous configurations. The most popular types are shown below. Other types are available by special request.

Railing Number Designations						
		ailing Numbe	er			
Railing Type	Flange	1″	1 1⁄4″	1 1⁄2″		
		Diameter	Diameter	Diameter		
Q.,	A Oval Exposed	D-6583	D-6785	D-7987		
R	B/C Round Exposed	D-7383 D-4483	D-7485 D-4585	D-7587 D-4687		
	D Concealed	D-6983	D-7185	D-7287		
Straight Back Slip Supports	E/F Snap-On	D-8983 D-7683	D-9085 D-7785	D-9187 D-7887		
	B/C Round Exposed	D-7382 D-4482	D-7484 D-4584	D-7586 D-4686		
C	D Concealed	D-6982	D-7184	D-7286		
Underslung Slip Supports	E/F Snap-On	D-8982 D-7682	D-9084 D-7784	D-9186 D-7886		
Q	A Oval Exposed	D-6593	D-6795	D-7997		
	B/C Round Exposed	D-7393 D-4493	D-7495 D-4595	D-7597 D-4697		
	D Concealed	D-6993	D-7195	D-7297		
Straight Back Welded Supports	E/F Snap-On	D-8993 D-7693	D-9095 D-7795	D-9197 D-7897		
	B/C Round Exposed	D-7392 D-4492	D-7494 D-4592	D-7596 D-4696		
Q Q	D Concealed	D-6992	D-7194	D-7296		
Underslung Welded Supports	E/F Snap-On	D-8992 D-7692	D-9094 D-7794	D-9196 D-7896		

Recommended Construction

Span:

Recommended maximum span between supports is 60" for 1-1/2" tubing and 48" for 1-1/4" tubing. Recommended height is 33".

Wall Clearance:

Railings are fabricated with 1-1/2" wall clearance unless otherwise specified.



Reference: Railings

Component Selection

Tubing:

Railings are generally fabricated from 18 gauge (.049) satin finish stainless steel tubing and are available in 1", 1-1/4" or 1-1/2" outside diameter. Brass tubing and other finishes are available by special request.

Flanges: (See grab bar mounting kits in the Technical Notes for flange details)

Flange types (A, B, & C) are exposed screw mount. Type (D) has a concealed flange which locks to a tenon plate with stainless steel set screws after the tenon plate has been mounted. Types (E & F) are snap-on flanges which install like the exposed flanges. Snap-on flanges have factory installed covers which snap over the flanges completely concealing the mounting screws. Other flanges are available by special order.

Ends:

Flanged end returns (-10) are the most common railing ends specified. (-15) stops approximately 1/4" from the wall and requires a support within 7" - 9". An adjacent wall mount (-40) may be used on a surface 90 degrees to the axis of the railing providing there is a sufficient space for mounting the flange.







-10 Flanged End Return

-15 End Return

-40 Adjacent Wall Mount

Supports:

Supports can be welded directly to the railing or can be the slip type which allows them to be positioned in the field. 18 gauge x 1" diameter tubing is used to fabricate underslung (-20) & (-25) or straight back (-30) & (-35) supports. The recommended maximum span between supports is 60" for 1 1/2" tubing and 48" for 1 1/4" tubing.



Bends:

Railings can be fabricated to fit a wide variety of corridors. Bend angles are available to accommodate changes in direction as well as elevation.

Joints & Sectioning:

Railings can be fabricated up to 20 foot lengths upon request. Two sections of tubing can be joined using (-20) or (-30) slip supports (-75) with sheet metal screws or epoxy or by using an internal sleeve (-70) with epoxy adhesive.



-70 Splice with Internal Sleeve



Reference: Reversible Shower Seat

Construction:

Brey-Krause L-shaped A.D.A. compliant shower seats are available with reversible handing and a choice of seat top. Reversible shower seat tops may be specified with a one piece ivory or woodgrain phenolic top or with a solid white poly top. The phenolic tops have CNC-machined grooves and holes that provide superior drainage and a more natural appearance, particularly the woodgrain finish. The L-shaped seat can be converted to a rectangular seat by removing the handed portion and replacing it with decorative plastic plugs.



Instead of having to stock multiple shower seats or pre-determine the handing required, the Brey-Krause "reversible handing" shower seats enables the handing to be determined during installation.





Right Hand

Left Hand

This innovative design enables one shower seat to be configured in either the left-hand or the right-hand configuration

S-6212-SS White Poly S-6279-SS Ivory-Phenolic S-6280-SS Woodgrain Phenolic

Seats are constructed to meet or exceed A.D.A. barrier-free accessibility guidelines. Folding seats utilize a self locking mechanism to help secure them when not in use. Overall dimensions are 32" x 23".

Reference: Mirrors

3-in-1 Mirror

With the unique and innovative Brey-Krause mirror design, you can convert your universal frame mirror into either a fixed tilt mirror or an adjustable tilt mirror.

The standard mirror snaps easily into either frame.

How does a universal frame mirror become a fixed tilt mirror?



These easy steps.





The universal frame mirror snaps easily into the fixed tilt frame.



Uses the same mounting brackets as the universal frame mirror.



Brey-Krause Mirrors Save You Time and Money!

How? They...

- Install in half the time of conventional universal frame mirrors
- Are a better design and quality
- Are boxed individually and can ship by virtually any means without breakage
- Convert easily to fixed tilt or adjustable tilt mirrors thereby reducing your inventory carrying costs.